



LEADING PROVIDER OF ENGINEERING & VALUE ADDED OILFIELD SUPPORT SERVICES

OIL AND GAS | DRILLING CHEMICAL SOLUTIONS | WASTE MANAGEMENT SERVICES

CONTAINERS

DRILLING CHEMICALS

PPEs

SPILL KITS

HOSES

FABRICATION OF SLINGS

DOWNHOLE PRODUCTS

THREAD PROTECTORS

DRILLING MANAGEMENT

MFF FILTER CARTRIDGES

FILTRATION SYSTEMS

CENTRIFUGE

ABOUT US



OMNI ENERGY

Omni Energy is a leading provider of Engineering and Value Added Oilfield Support Services. We offer integrated environmental services, including the Distribution of Oilfield Products, Drilling Chemical Solutions, Oil Spill Response Services, and Waste Management Services.

OUR MISSION

Our Mission is to deliver comprehensive solutions for complex and large scale energy projects tailored to the needs of our clients, using the very best in technical support services towards the supply, transmission and distribution of Energy and the provision of integrated environmental services in the Oil & Gas industry.

OUR VISION

Our Vision is to be a first class provider of solutions and applications for Energy, Oil and Gas in Ghana, Africa and beyond, while maintaining an unbeatable track record for service.

OUR VALUES

We conduct our business with Honesty and Integrity, to ensure Fairness and Accountability for our clients and partners.



Putting people first is a core Omni Energy value, and our chief priority is to ensure the safety and well-being of every employee and contractor who works for us.

OUR HEALTH & SAFETY POLICY

Our chief priority is to ensure the safety and well-being of every employee and contractor who works for us. We maintain an over-arching framework to ensure the health and safety of all workers at all of our locations. Compliance is required of all personnel.

All of Omni Energy's leaders are required:

- to create an environment where we never, under any circumstances, compromise on health and safety;
- to visibly promote Omni Energy values, leadership practices and health and safety policies and principles;
- to set a culture of transparency, honestly monitoring and reporting health and safety performance;
- to recognise and reward exceptional behaviour with respect to health and safety.

Our corporate Health and Safety team is charged with the following:

- Setting performance expectations, developing over-arching policy, minimum standards, and annual plans for continuous improvement;
- Providing guidance and assurance of site-level execution of health and safety management practices;
- Monitoring and regularly communicating health and safety performance, trends and best practices.

All workers, whether Omni Energy or contract employees, are required to support the Health and Safety Programme by actively participating in all training, reporting all unsafe conditions and ensuring they and their co-workers follow all protective measures and safe work methods.





OUR PRODUCTS AND SERVICES

Among others, we supply the following:

- Casing
- Centrifuges
- Drilling Chemicals
- Drilling Management Services
- Drilling Waste Management Services
- Downhole Products
- Engineering Services
- Filters
- Filtration Systems
- Hoses
- MFF Filter Cartridges
- Offshore Cargo Carrying Units
- Personal Protective Equipment (PPEs)
- Spill Kits
- Scaffolding
- Shaker Screens
- Slings and Lifting Accessories
- Thermal Desorption Units
- Thread Protectors
- Valves

OFFSHORE CARGO CARRYING UNITS (CCUS)

As part of our Oilfield Products Distribution Services, we stock the following range of Cargo Carrying Units (CCUs) and Tore Tanks for rental across the African sub-region:

- Mini Containers
- 10 ft. and 20 ft. Dry Containers
- Mud and Boat Skips
- 10 ft. and 20 ft. Half Heights Containers
- 20 ft. and 40 ft. Open Top Containers
- 500 gal. and 4,000 lt. Portable Chemical Tanks
- 20 ft., 26 ft., 36 ft., and 46 ft. Basket Containers
- 10 ft. & 20 ft. Offshore Reefer Containers

Our CCUs are properly certified and meet international standards, including:
IMO MSC/Cir. 860; EN12079-1:2006; DNV2.7-1:2.6



Offshore Basket



Mud Skip



20ft Half Height



Chemical Tanks



Mini Container





RENTALS

SCAFFOLD

Our range of Scaffold products includes: Scaffold Tube and Fittings, Kwik-Stage System, Jacks, Props, Box Floor Centres, Econo Panels with accessories, and Ringlock Scaffold System. We rent out other Scaffold products as per specific customer requirements.

With the rising demand for modernisation in construction, safety regulations and better working condition, we are conscious of the need to ensure safety, high quality standards, and customer satisfaction.



Sample Schema of a Scaffold

SHAKER SCREENS

Our screens are manufactured in a broad range of mesh sizes, to ensure maximum solids control efficiency, regardless of the formations drilled. Our high-strength and reinforced plastic and glass frames are lighter and more durable than metal frames. What results is operational life that is nearly double that of the other screens on the market.

Our patented line of composite screens employ patented frame, mesh and bonding technologies that ensure high separation efficiency.



FILTERS AND CASINGS

FILTER CARTRIDGE

We deal in MFF Series Pleated Filter Cartridges, which are manufactured to exact standards and are used in the most demanding industrial environments.

The combination of surface and depth filtration ensures lengthy service lifetime: due to the use of premium quality filter fabrics, the pleated filter cartridges have superior flow characteristics with very low pressure drop compared to depth media of similar micron rating. Similarly, the exceptional design and largeness of the filter area minimises the frequent replacement of the cartridge.

Your advantage is a small filter vessel, less footprint, and lower capital investments. The pleated cartridges have a very large filtration area and therefore a very high dirt holding capacity. Long cartridge lifetime means lower operational consumable cost: less work changing the cartridges, and less waste.



CASING

30%-50% of oil well abandonment is caused by damages to Casings due to misconducts on Casing running. According to international practice, running casing is normally entrusted to professional third party experts. Our proprietary control technology of torque-circle-time radically solves technical problems.

References:

API RP 5C1, API Bu1 5C2, API Std 5B, API Spec 5CT, API BUL 5A2, Y/T5412-2005, B/T17745-1999, Y5577-93, T/T5396-2000

Our Advantage:

- With professional third-party Casing running work, we can meet various requirements for Casing threads and connections.
- Third party work provides the reliability and guarantee for casing running.
- A specially designed computer programme oversees the making-up and tackles the defective casings outside the well.
- All operating personnel are professionally trained and certified.
- Analysing the making-up curve is monitored by computer, to avoid the unseen defective Casing running.



SALES/ SUPPLY

THREAD PROTECTORS

THREAD PROTECTORS

We stock and supply the very best in thread protectors. We have:





**THREAD PROTECTORS FOR DRILL PIPE
(PLASTIC TYPE, CE)**

Item	Size & Thread	Item	Size & Thread
1	NC23	14	NC70
2	NC26	15	2 3/8" REG
3	NC31	16	2 7/8" REG
4	NC35	17	3 1/2" REG
5	NC38	18	4 1/2" REG
6	NC38 DSTJ	19	6 5/8" REG
7	NC40	20	7 5/8" REG
8	NC44	21	8 5/8" REG
9	NC46	22	6 5/8" IF
10	NC50	23	5 1/2" FH
11	NC50 DSTJ	24	5 1/2" FH DSTJ
12	NC56	25	6 5/8" FH
13	NC61	26	NC71



**THREAD PROTECTORS FOR DRILL PIPE
(COMPOSITE TYPE, CE)**

Item	Size & Thread	Item	Size & Thread
1	NC26	12	NC61
2	NC31	13	NC70
3	NC35	14	2 7/8" REG
4	NC38	15	3 1/2" REG
5	NC38 DSTJ	16	4 1/2" REG
6	NC40	17	6 5/8" REG
7	NC44	18	7 5/8" REG
8	NC46	19	8 5/8" REG
9	NC50	20	5 1/2" FH
10	NC50 DSTJ	21	5 1/2" FH DSTJ
11	NC56	22	6 5/8" FH



VALVES

We also stock the following range of valves:



2-Piece Floating Ball Valve



Trunnion Ball Valve



Swing Check Valve



Top-entry Ball Valve



Double Disc Flat Gate Valve



Flanged Metal Seal Butterfly Valve



Full Welded Ball Valve



Electric Top-entry Four-way Ball Valve



3-Piece Trunnion Ball Valve



3-Piece Trunnion Ball Valve



Flanged Soft Seal Butterfly Valve



Water Soft Seal Butterfly Valve



Water Metal Seal Butterfly Valve

DRILLING CHEMICALS

We have expanded our delivery base into a fully integrated supply-chain multinational specialising in industrial chemicals for well drilling, food and pharmaceuticals. Our quality control department ensures the procurement and delivery of high quality products for our clients.

Our range of Chemicals includes:

SHALE STABILIZERS

- Sodium Sulphonated Asphalt /Sodium Asphalt Sulfonate
- Potassium Sulphonated Asphalt / Potassium Asphalt Sulfonate
- Oxidized Asphalt, Blown Asphalt
- Synthetic Gilsonite: Equivalent To natural Gilsonite
- PHPA (Powdered/Liquid and Low Viscosity PHPA)
- Cloud Point Glycol: High Medium and Low Cloud Point
- Sodium Silicate/Potassium Silicate
- Polyacrylate, Polyglycol, Polyacrylamide
- Natural Gilsonite
- Asphaltine Shale Stabilizer
- OBM Fluid Loss Reducer

OILFIELD CHEMICALS

- Corrosion Inhibitor
- Demulsifiers
- Defoamer
- Rig Wash
- Chelating Agent
- Mutual Solvent
- Stabilizing Agent

DRILLING FLUIDS/CHEMICAL FLUID SERVICE

- Calcium Chloride powder/ granules/ flakes
- Sodium Bromide liquid/ solid
- Calcium Bromide liquid/ solid
- Zinc Bromide powder/ solid
- Zinc/ Calcium Bromide liquid
- Potassium Formate liquid/solid
- Sodium Formate powder

- Potassium Chloride (KCL)
- Hydrogen Chloride (HCL)
- Glycol
- Ammonium Chloride

DRILLING MUD DEAFOAMERS AND FOAMING AGENTS

- Alcohol Base Defoamer
- Brine Defoamer
- Stearate Base Defoamer
- Butyl Base Defoamer
- Silicate Base Defoamer
- Drilling Foaming agent

DRILLING MUD LUBRICANTS AND SPOTTING FLUIDS

- Extreme Pressure Lubricant (Water Based)
- Extreme Pressure Lubricant (Esther Based)
- Extreme Pressure Lubricant (For Sodium Silicate Mud)
- Extreme Pressure Lubricant (Environmentally Friendly Non toxic Oil Based)
- Range of Customized Special Purpose Lubricants

ADHESIVES AND SEALANT

- Epoxy Based Sealants
- Thermo Setting Adhesives
- Cold Setting Adhesives
- Phenolic resins and other modified Resins

CHEMICALS (Continued)

DRILLING MUD SURFACTANTS AND SPOTTING FLUIDS, CLEAN UP CHEMICALS

- Anionic
- Surfactant
- Asphaltic Base Spotting Fluid
- Drilling Detergent
- Rig Wash
- Spotting Fluid (Non Weighted): Pipe Free /Stuck Pipe remover
- Spotting Fluid (Weighted): Pipe Free /Stuck Pipe remover
- Non Ionic Surfactant
- Cationic Surfactant

FILTRATION CONTROL CHEMICALS (FLUID LOSS CONTROL ADDITIVES)

- Carboxy Methyl Cellulose: CMC HV, CMC LV
- Poly Anionic Cellulose: PAC R, PAC LV, PAC ULV
- Resinated Lignite
- Pregelatinized Starch/Drilling Starch High Temperature
- Modified Lignite/Organophillic Lignite
- Guar Gum
- Sodium PolyAcrylate: Liquid and Powdered

PH CONTROL

- Caustic Soda Flakes/Pearls
- Potassium Hydroxide
- Soda Ash dense/light

LOSS CIRCULATION MATERIAL

- Walnut Shell (Nut Plug): Coarse, Medium and Fine
- Mica Flakes: Coarse, Medium and Fine
- Blended LCM and Fibrous LCM
- Calcium Carbonate F/M/C and Seized Calcium Carbonate
- Total Seal F/M/C Cotton Seed Hull
- Cellophane Flakes
- Marble Chips
- Saw Dust

DRILLING POLYMERS

- Partially Hydrolyzed Poly Acryl amide (PHPA): Liquid
- Partially Hydrolyzed Poly Acryl amide (PHPA): Powdered
- Cloud Point Glycol: High Medium and Low Cloud Point Glycol
- Xanthum Gum
- Hydro Ethyl Cellulose (HEC)
- Sodium Polyacrylate
- Synergistic Polymer



CHEMICALS (Continued)

VISCOSIFIERS

- Bentonite Extender API/OCMA
- Carboxy Methyl Cellulose (CMC)
- Poly Anionic Cellulose (PAC)
- Drilling Starch
- Guar Gum
- Attapulgate Clay(Salt Water Clay)
- Xanthum Gum(XC Polymer)
- Drilling Polymer

EMULSIFIERS FOR WATER-BASED AND OIL-BASED SYSTEMS

- Primary Emulsifier
- Secondary Emulsifier

CORROSION INHIBITORS AND SCAVENGERS AND BIOCIDES

- Corrosion Inhibitor for Oil Line
- Corrosion Inhibitor for Gas Line
- Oxygen Scavenger
- Zinc Carbonte (H2S Scavenger)
- Biocide (Amine type and Aldehyde Type and Ammonium Type)

OIL BASED SYSTEMS AND PRODUCTS

- Amine Treated Lignite
- OBM Fluid Loss Controller
- OBM Emulsifiers: Primary and Secondary
- Organic Surfactant Emulsifier
- Organophilic Clay, Organophilic Lignite
- OBM Viscosifier Secondary
- OBM Rheology Modifier

CEMENT ADDITIVES

- Calcium Chloride
- Silica Flour
- Fly ash
- Fumed Silica
- Cementing Grade Bentonite

WORKOVER AND COMPLETION FLUIDS

- Calcium Bromide
- Zinc Bromide

WEIGHT MATERIALS

- Bentonite API/OCMA
- Barite API /OCMA
- Calcium Carbonate:
Fine /Medium /Coarse and Seized Calcium Carbonate
- Ground Marble Chips
- Hematite
- Attapulgate Clay

COMMERCIAL CHEMICALS

- Potassium Chloride (KCL)
- Calcium Chloride
- Salt: Sodium Chloride
- Lime: Calcium Hydroxide
- Potassium Sulphate
- Soda Ash
- Soda Bi-Carbonate
- Magnesium Oxide
- Sodium Bi-Carbonate
- Potassium Hydroxide (KOH)
- SAPP
- Caustic Soda
- Citric Acid
- Acetic Acid
- Potassium Iodide

SLINGS FABRICATION & LIFTING ACCESSORIES

We supply our clients with slings and lifting accessories fabricated from tools and products from Van Beest in the Netherlands, and Talurit in the United Kingdom. Both international manufacturers offer the highest quality in the following:

From Talurit, UK:

- Press Dies and Tools
- Ferrules and Swaging Products
- Aluminum Ferrules
- Solid Thimbles

From Van Beest, Netherlands:

- Shackles
- Green Pin Master links with Flat Part
- Green Pin connecting links for connecting grade 80 chain-slings
- Green Pin Wire Rope Clips generally to EN13411-5: Type B
- Wire Rope Clips generally to EN13411-5: Type A
- Wire Rope Clips generally to DIN 741



Hydraulic Press Machine



Green Pin master links with at part



Shackles



Wire Rope



Wire rope clips generally to EN 13411-5 Type A



Wire rope clips generally to DIN 741



Green Pin wire rope clips generally to EN 13411-5 Type B



Bow - Pin Shackle



Press dies & tools



Ferrules & swaging products



Aluminium ferrules



Solid thimbles



Bow Shackles with safety bolt

SPILL KITS

We have assembled the most comprehensive range of spill prevention and control products currently available. These are catalogued into two new absorbent and spill kit ranges, and they include the following:

- Pillows and pans for high-volume leaks
- Absorbent pads and rolls
- Spill kits and refills
- SPKU-DUFF Universal Duffe Kit



PILLOWS AND PANS FOR HIGH-VOLUME LEAKS



Absorbent Pads & Rolls		Spill Kits & Refills		SPKU-DUFF Universal Duffe Kit	
CODE	Item Description	SIZE	UNIT/PKG	ABSORB/PKG(gal)	
WP100H	OIL ONLY MELTBLOWN PADS	15" W x 19" L	100	33.4	
WR150H	MELTBLOWN ROLLS	30" W x 150' L	1 roll	63.4	
WB520SN	OIL ONLY SOCK/NET BOOM	5" x 20'	2	30.0	
WB510SN	OIL ONLY SOCK/NET BOOM	5" x 10'	4	30.0	
SPKU-20	SPILL RESPONSE KIT- SMALL-20	22" x 18" H	1	16.4	
SPKU -65	SPILL RESPONSE KIT-BIG-65	28.25" x 37.37" H	1	47.4	
SPKU-50	SPILL RESPONSE KIT-MEDIUM-50	28.75" x 45.5" H	1	45.7	
CELL30	UNIVERSAL CELLULOSE LOOSE (GRANULE ABSORBENT)	1.5' W x 2' L x 1' H	30 lbs	4	

PERSONAL PROTECTIVE EQUIPMENT (PPEs)

We offer the very best of protective gear and equipment for work. Our PPE product range includes the following:

- Kong gloves
- Goggles and Spectacles
- Protective Coveralls
- Smoke Hoods
- Cotton Rubber Dotted Gloves
- Neese Flame-Resistant Slicker Suit
- Earplugs
- Ear Muffs
- Safety Boots
- Glowsticks



Protective Coverall



Kong Gloves



Safety Boots



Howard Leight Max UF Foam Ear Plugs



Ear Muff NRR 30



ANSI Approved Safety glasses with rigid side shields where required, with clear and sun protection

HOSES

We stock and supply the very best of Hose Coupling and corresponding accessories, including:

- Sunpool Stainless Steel Fittings (various sizes)
- Camlocks (Aluminum/ Stainless Steel/ Brass) Rotary Drilling Hoses
- High Pressure Hydraulic Hoses
- Test Point Hoses
- Accessories: Hydraulic Tube Couplings, Ermeto Fittings, Equal Union, Elbow and Tee.



Material Suction Hose

Chemical Hose

DOWNHOLE PRODUCTS

We are World Leaders in casing accessories/completion tools

GUIDE SHOES



CEMENTING ACCESSORIES

Pen-O-Trator™ Reamer Guide Shoe

Low Torque Reaming
Tungsten Carbide Button Inserts
PDC Drillable - 'Ezi-Drill' Thru Nose Design
Self-Cleaning Cutting Structure
Reams With or Without Rotation

Pilot Guide Shoe

Pathfinding Guide Nose
PDC Drillable
360° Circulating Ports

CENTRALISERS



Spir-O-Lizer™ Centraliser Torque and Drag Reduction

Zinc Alloy Strength and Wear Resistance
Proven Track Record

Econ-O-Glider™ Centraliser

Outperforms Bow Spring Type Centraliser
Spiral Blade Design
Cost Effective
Available with Straight Blade Design

Spir-O-Mizer™ Centraliser

Ultimate Strength and Wear Resistance
Cast Steel Unitary Construction
Spiral Blade Design

Blade Runner™ Centraliser Range

Ultimate Torque & Drag Reduction
Teflon/Zinc Alloy Technology
ERD & Horizontal Applications

DOWNHOLE PRODUCTS (Continue)

COMPLETION EQUIPMENT



Expand-O-Lizer™ Centraliser

Under-reamed Hole Centralisation
High Integrity Bow Type Centraliser
Low Running Force
Maximum Restoring Force

Expand-O-Lizer Centraliser Sub

Integral Casing Centraliser Sub
Under-reamed Hole Centralisation
Low Running Force
Maximum Restoring Force

Shrink-Lok™ Stop Collar

Eliminates Set Screws
Exceptional Holding Force
Screen Shroud Installation

'Grippy'™ Cross Coupling 'Cable Clamp'

Compression Indent Design Galvanised Coating
Designed to accommodate various cable configurations



ENGINEERING SERVICES

We provide a range of Well Engineering Services, from Well Design through to Specialised Engineering tasks utilising the latest engineering software. Omni Energy Drilling Management Services uses industry recognised software as part of its well design process, together with drilling risk analysis tools, to analyse technical and commercial drilling risks. Our continuous exposure to an evolving industry ensures that our clients have access to the latest technology.

Listed below are some of the Well Engineering services we offer:

- Well engineering and planning
- Development and review of manuals for Operations and Procedures Management
- Field engineering feasibility studies for conceptual and operational engineering
- Asset evaluation/assessment
- Partner and JV engineering support and commercial studies
- Independent review of drilling programmes, procedures and well design
- Well control risk assessment
- Well audits
- Peer review of drilling and completions programmes
- Peer review of domestic/international operations
- Expert testimony

WELL BORE CLEANING

Our Well Bore Cleaning Services provide a clear path for production, with chemical, mechanical and hydraulic technologies that reduce operational costs, eliminate formation damage, and protect personnel and the environment.

With technical support from our International Partners, Well Flow International, we offer top- notch Well Bore Cleaning tools and chemicals to guarantee client satisfaction.

OTHER SERVICES

We also run other services, including:

- Testing
- Slick Line
- Mud Logging
- Wire Line

TANK CLEANING

We have a well-trained service team (Confined Space Certified) with experience in Offshore, Onshore and Vessel Tank Cleaning jobs in Cameroon, Equatorial Guinea, Ivory Coast and Ghana.



SERVICES

WASTE MANAGEMENT

THERMAL DESORPTION UNIT

Our plant employs an environmental remediation technology that utilises heat to increase the volatility of contaminants such that they can be separated from the solid matrix: typically soil, sludge or filter cake. It offers a method of separating and recovering. We use the Porcupine Processor, which ensures the following results:


- Consistently discharging processed drill cuttings with TPH (Total Petroleum Hydrocarbon) limits below 10,000 mg/kg (1% by weight as required by legislation).
- Recovering the base oil without any measurable degradation allowing its reuse.
- Using the volume of water recovered to re-hydrate the solids discharge, thereby reducing the waste stream.
- Potentially allowing the oil and solids waste streams to be treated as commodity items.
- Producing a lower environmental impact compared to earlier generation indirect rotary kiln type systems.



Porcupine Model: Capable of processing 2000 metric tonnes of OBMC per month

SLUDGE TREATMENT UNIT

Our Sludge Treatment Unit is designed for treating heavy slop waste such as sludge and water saturated mud. The separation technology includes an emulsion breaker injection system in combination with a decanter centrifuge with a high slenderness ration.



CENTRIFUGE



COMPLETION FLUID FILTRATION SYSTEMS



Flo Trend® Systems Power Pak™ Filter Press

- Standard Sizes Available
- Skid Mounted
- Removable or Nonremovable Cake Pan
- Stainless Steel Discharge and Inlet Manifold
- Stainless Steel Strip Cover on Side Rails
- Weather Tight Hydraulic Cover with Locking Door
- Hydraulic Controls Mounted on Removable Plate for Ease of Repair/Maintenance



Flo Trend® Systems Slurry Tank - PC/BF

- Standard Sizes Available
- Body Feed Pump
- Precoat Pump - Optional
- Skid Mounted
- Air Agitation
- Crash Bars Protect Pumps and Piping
- Separate Precoat/Body Feed Tanks



Flo Trend® Systems Cartridge Filter Vessels

- Standard Sizes Available
- Skid Mounted
- Removable or Nonremovable Cake Pan
- Stainless Steel Discharge and Inlet Manifold
- Stainless Steel Strip Cover on Side Rails
- Weather Tight Hydraulic Cover with Locking Door
- Hydraulic Controls Mounted on Removable Plate for Ease of Repair/Maintenance

Our Clients



CONTACT US

The success of Omni Energy is attributed to the quality of our products and the dedication of our skilled teams, who work out of our offices in Ghana, Algeria, Cameroon, Congo, Dubai, Ivory Coast and Tanzania.

OUR OFFICES

■ HEADQUARTERS - GHANA OFFICE

No. 8, Labone Link, Labone
P. O. Box AN 6153, Accra-North
Tel: +233 302 767400, +233 244 329848,
+233 248 339521
Email: HQ@omni-energy.com

■ DUBAI OFFICE

723 Fairmount Hotel
Sheikh Zayed Road, Dubai
Tel: +971 431 24962 / +971 431 24963
Email: dubai@omni-energy.com

■ IVORY COAST OFFICE

Base Logistique de Petroci
Vridi, Rue des Pétroliers
05 BP 2530 Abidjan 05
Tel: +225 587 28260 / +225 034 31475
Email: ivc@omni-energy.com

■ IN TAKORADI

Slings Fabrication Unit, STC Yard
Omni Energy Warehouse Unit, Yabiw
Thermal Desorption Unit, Eshiem

■ CAMEROON OFFICE

BP 12741
Base Lima, Douala
Tel: +237 959 51762, +237 985 43924
Email: cameroon@omni-energy.com

■ SOUTH AFRICA OFFICE

4th Floor Nelson Mandela Square,
Sandton, Johannesburg.
Tel: +2711 100 5186 / +27723313030
Email: sa@omni-energy.com

■ ALGERIA OFFICE

Coopérative Anadjahe Cité Gharidi
Villa 10 N° 10 Kouba, Algiers
Algeria
Email: algeria@omni-energy.com

■ CONGO OFFICE

36 Avenue Jacques Opangault
AV Pont Songolo Port Noire, Congo
Tel: +242 064 405045
Email: congo@omni-energy.com

■ TANZANIA OFFICE

P. O.Box 19014
Dar es Salaam,
Tel: +255 687 909530
Email: tanzania@omni-energy.com